



EATON COUNTY DRAIN COMMISSIONER

BELAIRE HILLS DRAIN

NOTICE OF MEETING OF BOARD OF DETERMINATION

DATE: Wednesday, December 7, 2022

TIME: 2:00 p.m.

LOCATION: Delta Charter Township Hall – Room A
7710 W. Saginaw Highway
Lansing, Michigan 48917

QUESTIONS: (517) 543-3809

A Board of Determination will meet at the above date, time and location to hear all interested persons, receive evidence and determine whether the location, establishment, and construction of the Belaire Hills Drain, as set forth in the petitions, dated November 5, 2021, November 10, 2021, December 28, 2021, and August 26, 2022, is necessary and conducive to the public health, convenience, or welfare, pursuant to Chapter 4 of Public Act 40 of 1956, as amended.

A presentation will be made to the Board of Determination outlining a brief history of the Drainage District, and describing the roles, responsibilities and decisions made by a Board of Determination. The presentation is to provide background for landowners and municipalities in the drainage district and to facilitate the dissemination of information and the receipt of testimony of landowners in the Drainage District. The Board of Determination will make a decision at the end of the meeting.

Proceedings conducted at this public meeting will be subject to the provisions of the Michigan Open Meetings Act. Information regarding this meeting may be obtained from the Eaton County Drain Commissioner's Office located at 1045 Independence Blvd., Charlotte, Michigan 48813. Persons with disabilities needing accommodations for effective participation in the meeting should contact the Drain Commissioner at the number listed above or through the Michigan Relay Center at 7-1-1 (TDD) at least 24 hours in advance of the meeting to request mobility, visual, hearing or other assistance.

Anyone aggrieved by the decision of the Board of Determination may seek judicial review in the Eaton County Circuit Court within 10 days pursuant to MCL 280.72a.

Richard Wagner
Eaton County Drain Commissioner